

4/18/18

"The most difficult thing is the decision to act, the rest is merely tenacity."-Emelia Earhart

HW: "Even and Odd Functions" homework section
Test 1 on Wednesday 5/2

AIM: How do we tell if a function is Even or Odd?

Warm Up:







1. The quadratic function $f(x)$ has a turning point at $(5, -8)$. If $g(x) = f(x+7) - 3$, then at which of the following does $g(x)$ have a turning point?
- | | |
|-----------------|----------------|
| (1) $(-2, -11)$ | (3) $(-7, -3)$ |
| (2) $(12, -11)$ | (4) $(12, -5)$ |

A2CC Even and Odd Functions

Name: _____


We can classify the graphs of functions as either even, odd, or neither.

Even	
A function is an even function if <u>$f(x) = f(-x)$</u> for all x in the domain of f.	
If (x, y) is a point on an even function, then so is <u>$(-x, y)$</u>	
Even functions are symmetric with respect to the <u>y-axis</u> . This means we could fold the graph on the <u>y</u> -axis, and it would line up perfectly on both sides!	
Odd	
A function is an odd function if <u>$f(-x) = -f(x)$</u> for all x in the domain of f.	
If (x, y) is a point on an odd function, then so is <u>$(-x, -y)$</u>	
Odd functions are symmetric with respect to the <u>origin</u> . This means we can rotate image 180 degrees and it will appear exactly the same!	


If we cannot classify a function as even or odd, then we call it neither!**Directions:** Determine graphically using possible symmetry, whether the following functions are even, odd, or neither.1. neither2. even3. Even4. ODD5. ODD6. Neither

Consider the **partial graph** of the function $f(x)$ shown twice below. Sketch the other half of the function if in (a) $f(x)$ is **even** and in (b) $f(x)$ is **odd**. The three coordinate pairs are listed to help you plot.

(a) **even**



(b) **odd**



Directions: Verify algebraically whether each function is even, odd, or neither!

1. $f(x) = x^3 - 6x$

$$f(-x) = (-x)^3 - 6(-x)$$

$$f(-x) = -x^3 + 6x$$

$$f(-x) = -(x^3 - 6x)$$

$$f(-x) = -f(x)$$

ODD because
when we plug in $f(-x)$
we get $-f(x)$.

2. $g(x) = x^4 - 2x^2$

$$g(-x) = (-x)^4 - 2(-x)^2$$

$$g(-x) = x^4 - 2x^2$$

$$g(-x) = g(x)$$

Even because we plug in
 $(-x)$ and it becomes
the same.

3. $h(x) = x^2 + 2x + 1$

$$h(-x) = (-x)^2 + 2(-x) + 1$$

$$h(-x) = x^2 - 2x + 1 \quad \leftarrow \text{Not same therefore not even}$$

$$h(-x) = -(-x^2 + 2x - 1) \quad \leftarrow \text{Not same therefore not odd}$$

Neither

4. $f(x) = x^2 + 6$

$$f(-x) = (-x)^2 + 6$$

$$f(-x) = x^2 + 6 \quad \leftarrow \text{Same therefore (EVEN)}$$

5. $g(x) = 7$

$$g(-x) = 7 \quad \text{Even}$$

6. $h(x) = x^5 + 1$

$$h(-x) = (-x)^5 + 1$$

$$h(-x) = -x^5 + 1$$

$$h(-x) = -(x^5 - 1)$$

Neither

$$x^5 + 1x^0$$

9. $h(x) = |x| - 1 \rightarrow x - 1$

$h(-x) = |-x| - 1 \rightarrow x - 1$

Even

10. $f(x) = \frac{1}{1+x^2}$

$f(-x) = \frac{1}{1+(-x)^2} = \frac{1}{1+x^2}$

Even

11. $f(x) = \frac{3x}{5-x^2}$

$f(-x) = \frac{3(-x)}{5-(-x)^2} = \frac{-3x}{5-x^2} = -\left(\frac{3x}{5-x^2}\right)$ ODD

12. $f(x) = \frac{1}{3x+x^2}$

$f(-x) = \frac{1}{3(-x)+(-x)^2} = \frac{1}{-3x+x^2}$

Not odd

Not
Even

$= -\left(\frac{1}{3x-x^2}\right)$

Neither

13. If $f(x)$ is an even function and $f(-3) = 7$, find the value of $2f(3) + 5f(-3)$.

$f(3) = 7$

$2(7) + 5(7)$

$14 + 35 =$

49

14. If $f(x)$ is an odd function and $f(-3) = 7$, find the value of $2f(3) + 5f(-3)$.

$f(3) = -7$

$2(-7) + 5(7)$

$-14 + 35$

21

EVEN AND ODD FUNCTIONS
COMMON CORE ALGEBRA II HOMEWORK

FLUENCY

1. Given the partially filled out table below for $f(x)$, fill out the rest of it based on the function type.

(a) Even


x	-3	-2	-1	0	1	2	3
y	5		-7	4		-4	

(b) Odd


x	-3	-2	-1	0	1	2	3
y	5		-7	0		-4	

2. Half of the graph of $f(x)$ is shown below. Sketch the other half based on the function type.

(a) Even



(b) Odd



3. If $f(x)$ is an even function and $f(3) = 5$ then what is the value of $4f(3) + 2f(-3)$?

(1) 30

(3) 10

(2) 60

(4) 6

4. If $g(x)$ is an odd, one-to-one function and if $g(7) = -2$, then which of the following points *must* lie on the graph of the inverse of $g(x)$, $g^{-1}(x)$. Explain how you made your choice.

(1) $(-7, 2)$ (3) $(2, 7)$ (2) $(2, -7)$ (4) $(7, -2)$

5. Which of the following functions is even? Explain how you arrived at your choice.

(1) $y = x^2 - 4x$

(3) $y = 9 - x^2$

(2) $y = |x - 6|$

(4) $y = 4^x$

6. Determine algebraically if function $f(x) = \frac{4x^2 + 2}{x}$ is either even or odd..

REASONING

7. Even functions have symmetry across the y -axis. Odd function have symmetry across the origin. Can a function be both even and odd?

8. Even functions have symmetry across the y -axis. Odd function have symmetry across the origin. Can a function have symmetry across the x -axis? Why or why not?